

TRAINERS OVERVIEW

2018

ELITE
DESIGN & PERFORMANCE



EN

MY E-TRAINING

MOBILE & DESKTOP



The My E-Training software creates stimulating indoor training sessions via smartphones or tablets (both iOS and Android-based), as well as Mac and Windows that wirelessly connect to the hometrainer via ANT+™ or Bluetooth Smart (only for iOS, Android and Mac) protocols*. The My E-Training manages and displays power, cadence, heart rate, speed, time and distance data.

| MOBILE VERSION (iOS and ANDROID) |
|--|
| REALVIDEO : train with Elite RealVideos. Enjoy an indoor bike ride pretending to be on a real route. (available for sale inside the software) |
| MY REALVIDEO : more than 1000 myRealVideos for free, recorder by users from all over the world |
| TRAINING PROGRAMS : create training programs based on: |
| level mode |
| free training** |
| power - time |
| |
| |
| |
| TRAINING TEST : undergo an evaluation test that helps you create month-long personalized indoor training |
| MAP COURSES : create races anytime and anywhere via Google Maps |
| IMPORT GPS DATA : easier data import from GPS cycle computers |
| TRAINING PROGRAM CREATION : the new graphic editor simplifies program creation |
| EXPORT DATA : export your training data to Strava, Training Peaks and MapMyRide |
| IN CLOUD DATA : save and store training data in the cloud to share with your other devices |
| RECORD GPS : record your GPS course and ride it indoors |
| OPTIONAL : ANT+ or Bluetooth heart rate belts are compatible to monitor your heart rate. Accessories are available on shopelite-it.com |

* the operative system and hardware should be compatible with ANT+™ or Bluetooth Low Energy

Download the app My E-Training:



| DESKTOP VERSION (MAC OS and WINDOWS) |
|--|
| REALVIDEO : train with Elite RealVideos. Enjoy an indoor bike ride pretending to be on a real route. (available for sale inside the software) |
| MY REALVIDEO : more than 1000 myRealVideos for free, recorder by users from all over the world |
| TRAINING PROGRAMS : create training programs based on: |
| level mode |
| free training** |
| power - time |
| slope - distance |
| power - distance |
| elevation gain - distance |
| slope - time |
| TRAINING TEST : undergo an evaluation test that helps you create month-long personalized indoor training |
| MAP COURSES : create races anytime and anywhere via Google Maps |
| IMPORT GPS DATA : easier data import from GPS cycle computers |
| TRAINING PROGRAM CREATION : the new graphic editor simplifies program creation |
| EXPORT DATA : export your training data to Strava, Training Peaks and MapMyRide |
| IN CLOUD DATA : save and store training data in the cloud to share with your other devices |
| WEB RACE : compete with other Elite users in realtime on RealVideos (available in 2018) |
| OPTIONAL : ANT+ or Bluetooth heart rate belts are compatible to monitor your heart rate. Accessories are available on shopelite-it.com |

** available for interactive trainers only

Download the software My E-Training: www.elite-it.com

PEDALING ANALYSIS°

The Pedaling Analysis is a new and exclusive **DRIVO**, **DIRETO** and **KURA** feature developed by Elite to monitor the rider's power output throughout each pedal stroke. The rider can monitor the power output variations of each pedal stroke, and will better understand the coordinated action of extensors and flexors muscles, the smoothness of the pedaling and the mechanical efficiency of the movement itself. This translates into real improvement in the rider's performance, for both amateurs and pros alike, by a more efficient application of power throughout the pedal stroke.
°only for DRIVO, DIRETO and KURA



Pedaling Analysis can be purchased in the mobile and desktop version of the My E-Training software.



ACCESSORIES

POSA' 0143401



- _Steel support for tablets, notebook, smartphones
- _Safe and sturdy
- _Device area made with soft anti-slip and anti-scratch rubber
- _Adjustable tilt
- _Height 100cm
- _Max load: 5 kg

COPERTON 0102100

_A tire specifically designed for hometrainers. Excellent heat dispersion: generates far less heat than a regular road tire. Reduced noise and vibration.



PROTEC PLUS 0130201

_Protects your bike from rust or corrosion due to sweat.



MISURO B+ 0145106



_Bluetooth Smart and ANT+™ sensor sends speed, power and cadence data to compatible ANT+™ and Bluetooth Smart devices and apps. It must be installed directly on the hometrainer to manage indoor training via compatible smartphone, tablets, cycle computers and GPS devices.

_Compatible with Mac, PC Windows, all iOS and Android smartphones, tablets, cycle computers and GPS devices with ANT+™ or Bluetooth Smart Ready technology.

_Used with the My E-Training app, a regular hometrainer is converted into an advanced digital instrument that manages the most important training info and data. Please check "Trainers and Rollers features" in this folder to verify hometrainer compatibility with Misuro B+.

SU-STA 0121901

_Height-adjustable front wheel support to perfectly simulate flat or uphill terrain.



TRAINING MAT 0031009

_Reduces vibration and protects the training area.



INTERACTIVE TRAINERS

SMART TRAINERS

CLASSIC TRAINERS

INTERACTIVE ROLLER

ROLLERS

DRVO
0165001

Interactive direct transmission hometrainer with integrated power measurement system
 _Power measurement accuracy ± 1% accuracy
 _Smooth pedalling
 _Very easy to use: foldable frame and integrated handle
 _Compatible with standard Shimano-SRAM 9/10/11 speed sprocket cassettes. Optional freehub compatible with Campagnolo 9/10/11 speed standard sprocket cassette is available
 _Improves the rider's saddle position: the adjustable, anti-scratch plastic feet perfectly align the bike and duplicate the rider's road position on the trainer

INCLUDES:

App lifetime

REALSOFTWARE Lifetime

USB-ANT+™

IDEAL FOR:
Road bikes
Mountain bikes
Compatible hubs: 130-135x5mm with quick release and 142x12mm with thru-axle

COMPATIBLE WITH:

PLUS:

DIRETO
0171001

Interactive direct transmission home trainer with integrated measurement system
 _Power measurement accuracy ± 2,5%
 _Smooth pedalling
 _Foldable frame and integrated handle
 _Compatible with standard Shimano-SRAM 9/10/11 speed sprocket cassettes. Optional freehub compatible with Campagnolo 9/10/11 speed standard sprocket cassette is available

INCLUDES:

App and software 12 months

IDEAL FOR:
Road bikes
Mountain bikes
Compatible hubs: 130-135x5mm with quick release and 142x12mm with thru-axle

COMPATIBLE WITH:

PLUS:

RAMPA
0163001

Interactive wireless smart hometrainer with automatic resistance adjustment
 _The reinforced frame (50 mm tubes) and wide footprint ensures safety and stability
 _Elastogel roller (Ø 40mm)
 _Automatic Tension Plate*: a system that maintains the correct pressure between the unit roller and tire throughout training session

INCLUDES:

App and software for 12 months

IDEAL FOR:
Road bikes with 24"-29" wheels
Mountain bikes with 24"-29" wheels
The code 1020008 adapter must be used with thru-axle bikes

COMPATIBLE WITH:

PLUS:

QUBO DIGITAL SMART B+
0121028

Interactive wireless hometrainer with automatic resistance adjustment
 _Qubo compass frame for improved stability and realistic feel
 _Elastogel roller (Ø 30mm)
 _Fast fixing locking system

INCLUDES:

App and software for 12 months

IDEAL FOR:
Road bikes with 20"-29" wheels
Mountain bikes with 20"-29" wheels
The code 1020008 adapter must be used with thru-axle bikes

COMPATIBLE WITH:

PLUS:

KURA
0164001

Direct transmission smart hometrainer with integrated power measurement system
 _Power measurement accuracy ± 1% accuracy
 _Smooth pedalling
 _Ideal for cadence, power and sprint-based training sessions
 _Very easy to use: foldable frame with integrated handle
 _Self-powered: automatically recharging battery
 _Compatible with Shimano-SRAM 9/10/11 speed standard sprocket cassettes. Optional freehub compatible with Campagnolo 9/10/11 speed standard sprocket cassette is available
 _Improves the rider's saddle position: the adjustable, anti-scratch plastic feet perfectly align the bike and duplicate the rider's road position on the trainer

INCLUDES:

App lifetime

IDEAL FOR:
Road bikes
Mountain bikes
Compatible hubs: 130-135x5mm with quick release and 142x12mm with thru-axle

COMPATIBLE WITH:

PLUS:

TURNO
0172001

Direct transmission smart hometrainer with integrated Misuro B+ sensor
 _Misuro B+ sensor sends speed, power and cadence data to compatible ANT+™ and Bluetooth Smart devices and apps
 _Ideal for cadence, power and sprint-based training sessions
 _Smooth pedalling
 _Wireless transmission of power, speed and cadence data via ANT+™ and Bluetooth Smart
 _Very easy to use: foldable frame with integrated handle
 _Compatible with Shimano-SRAM 9/10/11 speed standard sprocket cassettes. Optional freehub compatible with Campagnolo 9/10/11 speed standard sprocket cassette is available

INCLUDES:

App and software for 12 months

IDEAL FOR:
Road bikes
Mountain bikes
Compatible hubs: 130-135x5mm with quick release and 142x12mm with thru-axle

COMPATIBLE WITH:

PLUS:

QUBO POWER MAG SMART B+
0121026

Smart hometrainer
 _Speed/cadence and power ANT+™ and Bluetooth Smart integrated sensor
 _Handlebar-mounted resistance adjusting lever
 _Ideal for cadence, power and sprint-based training sessions
 _Smooth pedalling
 _Wireless transmission of power, speed and cadence data via ANT+™ and Bluetooth Smart
 _Qubo frame: extremely stable with realistic road feel
 _Elastogel roller (Ø 30mm)

INCLUDES:

App and software for 12 months

IDEAL FOR:
Road bikes with 20"-29" wheels
Mountain bikes with 20"-29" wheels
The code 1020008 adapter must be used with thru-axle bikes

COMPATIBLE WITH:

PLUS:

QUBO FLUID
0121006

Fluid resistance hometrainer
 _Trainers quiet, the most powerful and easiest trainer there is
 _100% more powerful fluid resistance unit when compared to traditional fluid hometrainers
 _Qubo frame: extremely stable with realistic road feel
 _Elastogel roller (Ø 45 mm)

INCLUDES:

App and software for 1 month

IDEAL FOR:
Road bikes with 20"-29" wheels
Mountain bikes with 20"-29" wheels
The code 1020008 adapter must be used with thru-axle bikes

COMPATIBLE WITH:

PLUS:

NOVO FORCE
0111303

Magnetic resistance hometrainer
 _Compact for easy transport and storage
 _Handlebar-mounted resistance adjusting lever
 _Novo frame
 _Elastogel roller (Ø 30mm)

INCLUDES:

App and software for 12 months

IDEAL FOR:
Road bikes with 24"-29" wheels
Mountain bikes with 24"-29" wheels
The code 1020008 adapter must be used with thru-axle bikes

COMPATIBLE WITH:

PLUS:

ARION DIGITAL SMART B+
0121102

Interactive wireless roller with automatic resistance adjustment
 _Parabolic rollers increase handling control while training

INCLUDES:

App and software for 12 months

IDEAL FOR:
Road bike
Mountain bikes
Track bikes
Fixed bikes

COMPATIBLE WITH:

PLUS:

QUICK MOTION
0162001

Magnetic resistance floating roller
 _3-level integrated magnetic resistance
 _The floating frame aids balance and makes for more natural and intuitive training sessions
 _Parabolic rollers
 _Integrated handle for easier transportation
 _Adjusts to match different bicycle wheelbases
 _Wheelbase adjustable from 944 mm to 1144 mm
 _Folds into three parts for reduced clutter

INCLUDES:

App and software for 1 month

IDEAL FOR:
Road bike
Mountain bikes
Track bikes
Fixed bikes

COMPATIBLE WITH:

PLUS:

ARION AL 13
0121201

A very light yet strong frame
 _Integrated magnetic resistance (3 levels)
 _Aluminum parabolic-shaped rollers, so you ride freely and safely with perfect balance
 _Integrated frame step simplifies mounting and dismounting operation
 _Folds with one easy movement

INCLUDES:

App and software for 1 month

IDEAL FOR:
Road bike
Mountain bikes
Track bikes
Fixed bikes

COMPATIBLE WITH:

PLUS:

ARION MAG
0100550

Magnetic resistance roller
 _3-level integrated magnetic resistance
 _Super light and strong frame
 _Parabolic rollers
 _Foldable
 _Adjusts to match different bicycle wheelbases
 _Wheelbase adjustable from 944 mm to 1124 mm

INCLUDES:

App and software for 1 month

IDEAL FOR:
Road bike
Mountain bikes
Track bikes
Fixed bikes

COMPATIBLE WITH:

PLUS:

ARION
0100501

Super light and strong frame
 _Parabolic rollers
 _Foldable
 _Wheelbase adjustable from 944 mm to 1124 mm

INCLUDES:

App and software for 1 month

IDEAL FOR:
Road bike
Mountain bikes
Track bikes
Fixed bikes

COMPATIBLE WITH:

PLUS:



TRAINER AND ROLLER FEATURES

| | DRIVO | DIRETO | RAMPA | QUBO DIGITAL SMART B+ | KURA | TURNO | QUBO POWER MAG SMART B+ | QUBO FLUID | NOVO FORCE | ARION DIGITAL SMART B+ | QUICK MOTION | ARION AL13 | ARION MAG | ARION |
|--|-------|--------|-------|-----------------------|-------|-------|-------------------------|------------|------------|------------------------|--------------|------------|-----------|-------|
| Fluid resistance | | | | | ✓ | ✓ | | ✓ | | | | | | |
| Magnetic resistance | | | | | | | ✓ | | ✓ | | ✓ | ✓ | ✓ | |
| Electronically managed magnetic resistance | ✓ | ✓ | ✓ | ✓ | | | | | | ✓ | | | | |
| Resistance adjusted directly on roller resistance unit | | | | | | | | | | | ✓ | ✓ | ✓ | |
| Mechanical resistance adjusted by command lever | | | | | | | ✓ | | ✓ | | | | | |
| Resistance levels | | | | | | | 8 | | 8 | | 3 | 3 | 3 | |
| Max slope* | 24%* | 14%* | 10%* | 6%* | | | | | | 5%* | | | | |
| Elastogel roller | | | ✓ | ✓ | | | ✓ | ✓ | ✓ | | | | | |
| Elastogel roller diameter | | | 40 mm | 30 mm | | | 30 mm | 45 mm | 30 mm | | | | | |
| Parabolic aluminum roller | | | | | | | | | | | | ✓ | | |
| Antistatic polypropylene parabolic roller | | | | | | | | | | ✓ | ✓ | | ✓ | ✓ |
| Direct transmission | ✓ | ✓ | | | ✓ | ✓ | | | | | | | | |
| Thru-axle locking system | ✓ | ✓ | | | ✓ | ✓ | | | | | | | | |
| Compatibility with thru-axle adapter (cod.1020008) [°] [°] for sale separately | | | ✓ | ✓ | | | ✓ | ✓ | ✓ | | | | | |
| Quick-release locking system | ✓ | ✓ | | | ✓ | ✓ | | | | | | | | |
| Fast Fixing locking system | | | ✓ | ✓ | | | ✓ | ✓ | ✓ | | | | | |
| Integrated power measurement system | ✓ | ✓ | | | ✓ | | | | | | | | | |
| Integrated Misuro B+ sensor | | | | | | ✓ | ✓ | | | | | | | |
| Compatible with Misuro B+ sensor | | | | | | | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| Total interaction with App, Software, Devices with ANT+™ Trainers (FE-C) protocol | ✓ | ✓ | ✓ | ✓ | | | | | | ✓ | | | | |
| Total interaction with App, Software, Devices with Bluetooth Smart Fitness Machine - indoor Bike protocol | ✓ | ✓ | ✓ | ✓ | | | | | | ✓ | | | | |
| Data transmission via ANT+™, FE-C and Bluetooth Smart | ✓ | ✓ | ✓ | ✓ | | | | | | ✓ | | | | |
| Speed / power / cadence data transmission to compatible apps and devices via ANT+™ and Bluetooth Smart protocols | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | |
| Sensorless cadence | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | |
| Flywheel moment of inertia (Kgmm ²) | 28300 | 13050 | 5720 | 3930 | 18700 | 19000 | 3680 | 3090 | 2790 | 1450 | 2125 | 3525 | 2425 | 1300 |
| Max power output (Watts) at 20km/h | 1100 | 590 | 420 | 265 | 195 | 165 | 370 | 145 | 300 | 280 | 185 | 220 | 220 | 130 |
| Max power output (Watts) at 40km/h | 2300 | 1400 | 1150 | 660 | 1020 | 650 | 900 | 540 | 690 | 645 | 425 | 520 | 520 | 280 |
| Max power output (Watts) at 60km/h | 3600 | 2200 | 1900 | 1100 | 3600 | 1950 | 1420 | 1200 | 1080 | 730 | 700 | 800 | 800 | 440 |
| Month subscription to the My E-Training mobile & desktop | | 12 | 12 | 12 | | 12 | 12 | 1 | | 12 | 1 | 1 | 1 | 1 |
| Month subscription to the My E-Training mobile | life | | | | life | | | | | | | | | |
| Month subscription to the RealSoftware | life | | | | | | | | | | | | | |
| Requires external power supply | ✓ | ✓ | ✓ | ✓ | | | | | | ✓ | | | | |

* This value is function of speed and weight. The values are referred to an average rider.